

Sliding Table Saw

RTJ-45B



Feature

Apply to processing all kinds of density boards, shaving boards, wood-based panels, ABS panels, PVC panels, solid wood and others with wood structure and similar hardness.

Detail

1. Saw motor structure for electrical lift and manual tilt.





2. The rip fence almost hovers over the table. The single handed quick clamping and fine adjustment systems ensure quick and accurate setting of the rip fence.



3. Small cover for saw blades



4. Manual tilt handle and control panel(Digital angle readout is optional)






5. Angle ruler for sliding table



6. The solid outrigger makes it possible to process large and heavy workpieces





7. The crosscut fence can be attached to the sliding table without the use of tools. The end stop provides you with the exact 90° position.



8. Magnifier



9. Movable roller for heavy panels



10. Sliding table fix device





11. Electrical box



12. Manual press device



13. Lubrication



14. 100mm dust collect outlet





Optional:

1. Big cover for saw blades



2. Press devices controlled by cylinders



3. Digital angle readout



4. Manual lift and tilt (RTJ-45A)





Parameter

Model	RTJ-45B
Sliding table size	3200x390mm
Main saw blade diameter	300mm
Inner hole diameter of main saw blade	30mm
Scoring saw blade diameter	120mm
Inner hole diameter of scoring saw blade	20mm
Speed of main saw spindle	4000/5000r/min
Speed of scoring saw spindle	9000r/min
Max. cutting thickness	80mm
Angle of inclination	45°
Main saw motor power	5.5kw
Scoring saw motor power	1.1kw
Dust collect outlet	Ф100mm×1
Size	3400*2600*1000mm
Weight	650kg